

2015.0 F-TYPE (X152), 417-01

## EXTERIOR LIGHTING

# HIGH MOUNTED STOPLAMP - COUPE (G1702803)

### REMOVAL AND INSTALLATION

86.41.01	HIGH LEVEL STOP LAMP ASSEMBLY - RENEW	CABRIOLET	0.2	USED WITHINS
----------	--	-----------	-----	-----------------

86.41.01	HIGH LEVEL STOP LAMP ASSEMBLY - RENEW	CABRIOLET, SVR	0.4	USED WITHINS
----------	--	-------------------	-----	-----------------

86.41.01	HIGH LEVEL STOP LAMP ASSEMBLY - RENEW	COUPE	0.3	USED WITHINS
----------	--	-------	-----	-----------------

### REMOVAL


#### NOTES:

- Some variation in the illustrations may occur, but the essential information is always correct.
- Removal steps in this procedure may contain installation details.

1. Refer to: [Battery Disconnect and Connect](#) (414-01 Battery, Mounting and Cables, General Procedures).

2. **⚠ CAUTION:**


Always protect paintwork and glass when removing exterior components.




*Torque: 3.2 Nm*

3. **⚠ CAUTION:**

Care must be taken not to damage the component.



Release the retaining clips and disconnect the three electrical connectors.



Torque: 2.5 Nm


5.



6.

⚠ CAUTION:

Take extra care not to damage the clips.



## INSTALLATION

1. To install, reverse the removal procedure.