

## PARTS

## INFORMATION BULLETIN

Jaguar Bluetooth System –  
Applicable Part Numbers

MODEL See below

VIN

Remove and destroy Bulletin X-37NAS, amended 05/05.  
Replace with this Bulletin.  
The X-TYPE link lead chart has been revised.

**Issue:**

This bulletin covers the following vehicles;

- **XJ** 2004 MY and up
- **XK** 2003 MY and up
- **S-TYPE** 2003 MY and up from VIN M89854
- **X-TYPE** 2003 MY and up from VIN D31148 –  
(EXCEPT those in the range: E37149 – E46479. These vehicles will not be able to have a phone system installed. The phone/voice pre-wire was deleted)

**INSTALLATION TIME**

**Installation time for a new system is 2.0 hrs.**

Several resources are available to you for support:

- **Website - [www.jagdigitalphones.com](http://www.jagdigitalphones.com)** - username: jagphones and the password: digital  
This website is for dealer use only. The website was designed to help understand the different phone programs and help select the proper carrier for each customer based on their zip code, plus much more.
- **Technical Bulletins** can be found on Global Technical Reference (GTR)  
*<https://hub.franchise.jaguar.com>* or internet: *<http://www.jaguartechinfo.com>*
- **Parts Bulletins** can be found at *<https://web.jagtech.dealerconnection.com>*
- **Fitting Instructions** – Will no longer be printed. **Go to GTR web site/ view owner information/ select accessory fitting instructions**
- **Motorola Hotline:** 1-877-MOT-SUPPORT – The Motorola hotline is for handset questions.
- **Jaguar Technical Hotline** at 1-888-JAGDLRS – The Jaguar hotline is for technical support of the phone system in the vehicle.

This bulletin includes dedicated vehicle lists showing all parts needed to install the Bluetooth system as a new installation (page 2) and as a conversion from V60 to Bluetooth (page 5).

Phones listed in this bulletin are those supported by the accessory Bluetooth installation only, not the factory installed Bluetooth system.

## NEW INSTALLATIONS

### **2004 MY and up XJ Range**

PSE Module	1x	C2C 25674
Bluetooth Module	1x	C2C 28506
M6 Bolt	4x	C2C 8866
Clip/Nut	4x	XR8 2178
Clip	2x	C2C 22169
Screw – 4 zone A/C cars only	2x	C2C 22168
Screw – 2 zone A/C cars only	2x	XR8 34494
Shorting Loop (Required if no Voice Activation)	1x	XR8 37852
Microphone (choose correct color)	1x	
Nimbus Grey		C2S 27329 LFJ
Oatmeal		C2S 27329 AGD
Champagne		C2S 27329 SEL
Dove		C2S 27329 LHJ
Handbook – (Choose language)	1x	
English		JJM 10 31 99 551
French & French Canadian		JJM 11 31 99 551
Spanish		JJM 15 31 99 551

D2B Link Leads See matrix

### **2003 MY and up XK**

PSE Module	1x	C2N 3421
Bluetooth Module	1x	C2N 3689
Screw M6X16Hex	4x	JFS 10616B
M6 Flange Nut	3x	FN 106041
Bracket – Convertible	1x	GJE 3655 AA
Bracket - Coupe	1x	GJE 3655 BA
PSE Harness – Convertible	1x	LJG 3540PA
PSE Harness – Coupe	1x	LJG 3540NA
Microphone – (choose color)	1x	
Oatmeal		LNA 7307AA AGD
Nimbus Grey		LNA 7307AA LFJ
Handbook – (choose language)	1x	
English		JJM 10 31 99 551
French & French Canadian		JJM 11 31 99 551
Spanish		JJM 15 31 99 551

**2003 MY and up S-TYPE from VIN M89854**

PSE Module	1x	C2C 25674
Bluetooth Module	1x	C2N 3689
<b>Bracket - (Required if no Voice, CD changer, or Nav fitted)</b>	<b>1x</b>	<b>XR8-51460</b>
M6 Bolt	4x	C2C 8866
Clip / Nut	4x	XR8 2178
Shorting Loop (Required if no Voice Activation)	1x	XR8 37852
Microphone (choose correct color)	1x	
Nimbus Grey		C2S 27329 LFJ
Oatmeal		C2S 27329 AGD
Champagne		C2S 27329 SEL
Dove		C2S 27329 LHJ
Handbook – (Choose language)	1x	
English		JJM 10 31 99 551
French & French Canadian		JJM 11 31 99 551
Spanish		JJM 15 31 99 551
D2B Link Leads 2003 – 2004 MY		See 2003 – 2004 MY Matrix
D2B Link Leads 2005 MY		See 2005 MY Matrix

**2003 MY and up X-TYPE from VIN D31148**

PSE Module	1x	C2C 25674
Bluetooth Module	1x	C2N 3689
M6 Nut	4x	C2C 8870
M6 Bolt	4x	C2C 8866
Clip / Nut	4x	XR8 2178
Bracket - Sedan (Required if no Voice, CD changer, or Nav fitted)	1x	C2S 27672
<b>Bracket - For wagon - (Required if no Voice, CD changer, or Nav fitted)</b>	<b>1X</b>	<b>C2S 32805</b>
<b>Installation Kit - For wagon -</b>	<b>1X</b>	<b>C2S 36008</b>
Shorting Loop (Required if no Voice Activation)	1x	XR8 37852
Microphone (choose correct color)	1x	
Nimbus Grey		C2S 27329 LFJ
Oatmeal		C2S 27329 AGD
Champagne		C2S 27329 SEL
Dove		C2S 27329 LHJ
Handbook – (Choose language)	1x	
English		JJM 10 31 99 551
French & French Canadian		JJM 11 31 99 551
Spanish		JJM 15 31 99 551
Trunk Trim Finisher – (Required if no Voice, CD changer, or Nav fitted)		See List Below
D2B Link Leads		See Matrix

**TRUNK TRIM FINISHER APPLICATION (If Required)**

<b>For X-TYPE wagon - Trunk trim finisher</b>	<b>1x</b>	<b>C2S 27846</b>
<b>For X-TYPE wagon - Trunk floor foam pad (used in conjunction with C2S 27846)</b>	<b>1x</b>	<b>C2S 23048</b>

Use **C2S 27448** for the following combinations of components:

- CD
- CD/Phone
- CD/Phone/Voice
- CD/Voice

Use **C2S 27446** for the following combinations of components:

- CD/Nav
- CD/Nav/Phone
- CD/Nav/Phone/Voice
- CD/Nav/Voice

## CONVERSION FROM V60 PHONE SYSTEM

### **XJ Range**

When upgrading a V60 installation it is necessary to remove the Handset cradle. Ensure the cradle base plate is left installed. All other components can remain installed.

PSE Module - Required if earlier part # is installed	1x	C2C 25674
Bluetooth module	1x	C2C 28506
Clip	2x	C2C 22169
Screw – 4 zone A/C cars only	2x	C2C 22168
Screw – 2 zone A/C cars only	2x	XR8 34494
Handbook – (Choose language)	1x	
English		JJM 10 31 99 551
French & French Canadian		JJM 11 31 99 551
Spanish		JJM 15 31 99 551

### **XK**

When upgrading a V60 installation it is necessary to remove the Handset cradle. Ensure the cradle base plate is left installed. Removal of the trunk-mounted antenna is optional but it is no longer used for Bluetooth. All other components can remain installed.

PSE Module - Required if earlier part # is installed	1x	C2N 3421
Bluetooth module	1x	C2N 3689
Handbook – (choose language)	1x	
English		JJM 10 31 99 551
French & French Canadian		JJM 11 31 99 551
Spanish		JJM 15 31 99 551

### **S-TYPE**

When upgrading a V60 installation it is necessary to remove the Handset cradle. Ensure the cradle base plate is left installed. All other components can remain installed.

PSE Module - Required if earlier part # is installed	1x	C2C 25674
Bluetooth module	1x	C2N 3689
Handbook – (Choose language)	1x	
English		JJM 10 31 99 551
French & French Canadian		JJM 11 31 99 551
Spanish		JJM 15 31 99 551

## X-TYPE

When upgrading a V60 installation it is necessary to remove the Handset cradle. Ensure the cradle base plate is left installed. All other components can remain installed.

PSE Module - Required if earlier part # is installed	1x	C2C 25674
Bluetooth module	1x	C2N 3689
Handbook – (Choose language)	1x	
English	JJM 10 31 99 551	
French & French Canadian	JJM 11 31 99 551	
Spanish	JJM 15 31 99 551	

### Bluetooth Validated Handsets

All Bluetooth phones with Hands Free Profile version 1.0 or later will be supported by this system. However, the full functionality can only be guaranteed for these mobile phones, which are listed. This list will be up-dated as new phones are tested for compatibility.

While Bluetooth (BT) technology is a “global standard” there are many different Bluetooth profiles. Not all manufacturers choose the same profiles for use in their devices. It is possible for a customer to have a BT phone without a compatible profile that allows the phone to operate with a Jaguar vehicle. Jaguar Bluetooth system uses **HFP1.0** (Hands free Profile). However, the software that is delivered in the mobile phone, that also uses HFP1.0, may have had errors introduced by new software releases and as such cannot be guaranteed by Jaguar to work with the vehicle system.

The mobile phones and the software levels given have been validated and approved for functionality with the Jaguar Bluetooth system. Newer or revised software versions in any mobile phone may not be compatible with the system. Jaguar does not guarantee availability or functionality with each wireless carrier or mobile phone.

## Recommended Phones for Jaguar – North American Phones

Bluetooth Enabled



**Motorola  
V3**  
**SW Version  
R374\_G\_OE.  
40.57R**

### Pairing with a Device

**Step 1:** Press the Menu key

**Step 2:** Select **Settings**.

**Step 3:** Select **Connection**.

**Step 4:** Select **Bluetooth Link**.

**Step 5:** Select **Hands-free**.

**Step 6:** Select **[Look for devices]**.

**Step 7:** Once searching has finished highlight **Jaguar** then press the **Select** button.

**Step 8:** The device may request permission to bond with **Jaguar**. Select **Yes** and enter the passcode 1313.

Bluetooth Enabled



**Motorola  
V710**  
**SW Version  
8700\_01.40.  
OR**

### Pairing with a Device

**Step 1:** Press the Menu key

**Step 2:** Select **Settings**.

**Step 3:** Select **Connection**.

**Step 4:** Select **Bluetooth Link**.

**Step 5:** Select **Hands-free**.

**Step 6:** Select **[Look for devices]**.

**Step 7:** Once searching has finished highlight **Jaguar** then press the **Select** button.

**Step 8:** The device may request permission to bond with **Jaguar**. Select **Yes** and enter the passcode 1313.

**Note:** Does not have the ability to download phonebook.

Bluetooth Enabled



**Motorola  
V551**  
**SW Version  
R472\_G\_08  
.18.16R**

### Pairing with a Device

**Step 1:** Press the Menu key

**Step 2:** Select **Settings**.

**Step 3:** Select **Connection**.

**Step 4:** Select **Bluetooth Link**.

**Step 5:** Select **Hands-free**.

**Step 6:** Select **[Look for devices]**.

**Step 7:** Once searching has finished highlight **Jaguar** then press the **Select** button.

**Step 8:** The device may request permission to bond with **Jaguar**. Select **Yes** and enter the passcode 1313.

## Recommended Phones for Jaguar – North American Phones

Bluetooth Enabled



**Motorola  
V505**  
  
**SW Version  
OB.09.4AR**

### Pairing with a Device

**Step 1:** Press the Menu key

**Step 2:** Select **Settings**.

**Step 3:** Select **Connection**.

**Step 4:** Select **Bluetooth Link**.

**Step 5:** Select **Hands-free**.

**Step 6:** Select **[Look for devices]**.

**Step 7:** Once searching has finished highlight **Jaguar** then press the **Select** button.

**Step 8:** The device may request permission to bond with **Jaguar**. Select **Yes** and enter the passcode 1313.

Bluetooth Enabled



**Motorola  
V330**  
  
**SW Version  
R472\_G\_08  
.18.1CR**

### Pairing with a Device

**Step 1:** Press the Menu key

**Step 2:** Select **Settings**.

**Step 3:** Select **Connection**.

**Step 4:** Select **Bluetooth Link**.

**Step 5:** Select **Hands-free**.

**Step 6:** Select **[Look for devices]**.

**Step 7:** Once searching has finished highlight **Jaguar** then press the **Select** button.

**Step 8:** The device may request permission to bond with **Jaguar**. Select **Yes** and enter the passcode 1313.

Bluetooth Enabled



**Motorola  
V600**  
  
**SW Version  
Triplets\_G\_  
OB.09.4DR**

### Pairing with a Device

**Step 1:** Press the Menu key

**Step 2:** Select **Settings**.

**Step 3:** Select **Connection**.

**Step 4:** Select **Bluetooth Link**.

**Step 5:** Select **Hands-free**.

**Step 6:** Select **[Look for devices]**.

**Step 7:** Once searching has finished highlight **Jaguar** then press the **Select** button.

**Step 8:** The device may request permission to bond with **Jaguar**. Select **Yes** and enter the passcode 1313.



## Recommended Phones for Jaguar – North American Phones

Bluetooth Enabled



**Sony  
Ericsson  
T630**  
**SW Version  
R6C005**

### Pairing with a Device

**Step 1:** Press the Menu key.

**Step 2:** Use the Scroll key to highlight **Connectivity**. Then, press **Select**.

**Step 3:** Highlight **Bluetooth** and press **Select**.

**Step 4:** Highlight **My Devices** and press **Select**

**Step 5:** Highlight **Add Device** and press **Select** and press **OK**.

**Step 6:** Once searching has finished highlight **Jaguar** then press the key labelled **Select**.

**Step 7:** Highlight **Connect** and press **Select**. **Connecting...** appears followed by the Passcode prompt.

**Step 8:** Enter the passcode 1313 then press **OK**.

Bluetooth Enabled



**Nokia  
6820**  
**SW Version  
5.88**

### Pairing with a Device

**Step 1:** Press the Menu key.

**Step 2:** Use the Scroll key to highlight **Settings**, then **Connectivity** and press **Select**.

**Step 3:** With **Bluetooth** highlighted, press **Select**.

**Step 4:** With **Bluetooth** highlighted, press **Select**. Highlight **On** and press **Select**.

**Step 5:** Use the Scroll key to highlight **Search for audio enhancements** and press **Select**. The phone starts to search for devices within.

**Step 6:** With **Jaguar** highlighted, press **Select**.

**Step 7:** Enter the passcode 1313, then press the left Selection key labelled **OK**.

**Step 8:** The Nokia 6820 should now connect automatically. If it doesn't, **Select Paired devices** from the **Bluetooth** menu, highlight **Jaguar** and press **Select** to connect.

**Step 9:** Scroll down to **Request conn. authorisation** and set to **no**, to allow the handset to reconnect to the vehicle system automatically each time you return to the vehicle and switch ON ignition.

Bluetooth Enabled



**Nokia  
6600**  
**SW Version  
5.45**

### Pairing with a Device

**Step 1:** Press the Menu key.

**Step 2:** Use the Scroll key to highlight **Connectivity**. Then, press the Scroll key centre.

**Step 3:** With **Bluetooth** highlighted, press the Scroll key centre.

**Step 4:** Press the Scroll key right to enter the **Paired devices** list.

**Step 5:** Press the left Selection key labelled **Options**.

**Step 6:** With **New paired device** highlighted, press the Scroll key centre. The phone starts to search for devices within.

**Step 7:** Scroll to highlight **Jaguar** then press the key labelled **Select**. **Waiting for Jaguar** appears followed by the Passcode prompt.

**Step 8:** Enter the passcode 1313 then press the left Selection key labelled **OK**. The device is added to the **Paired devices** list.

**Step 9:** Press the left hand selection key labelled **Yes** to accept the connection request from Jaguar

**Step 10:** In the **options** menu, select **set as authorised** to allow the handset to reconnect to the vehicle system automatically each time you return to the vehicle and switch ON ignition.

## Recommended Phones for Jaguar – North American Phones

Bluetooth Enabled



**Nokia 3660**  
**SW V3.16**

### Pairing with a Device

**Step 1:** Press the Menu key.

**Step 2:** Use the Scroll key to highlight **Connect**. Then, press the Scroll key centre.

**Step 3:** With **Bluetooth** highlighted, press the Scroll key centre.

**Step 4:** Press the Scroll key right to enter the **Paired devices** list.

**Step 5:** Press the left Selection key labelled **Options**.

**Step 6:** With **New paired device** highlighted, press the Scroll key centre. The phone starts to search for devices within.

**Step 7:** Scroll to highlight **Jaguar** then press the key labelled **Select**. *Waiting for Jaguar* appears followed by the Passcode prompt.

**Step 8:** Enter the passcode 1313 then press the left Selection key labelled **OK**. The device is added to the **Paired devices** list.

**Step 9:** Highlight Jaguar in the paired devices list and use the **Select** key to open the options menu. Highlight **Connect** and press **Select**.

Bluetooth Enabled



**Nokia 6230**  
**SW V3.17**

### Pairing with a Device

**Step 1:** Press the Menu key.

**Step 2:** Use the Scroll key to highlight **Settings**, then **Connectivity** and press **Select**.

**Step 3:** With **Bluetooth** highlighted, press **Select**.

**Step 4:** With **Bluetooth** highlighted, press **Select**. Highlight **On** and press **Select**.

**Step 5:** Use the Scroll key to highlight **Search for audio devices** and press **Select**. The phone starts to search for devices within.

**Step 6:** With **Jaguar** highlighted, press the Scroll key centre.

**Step 7:** Enter the passcode then press the left Selection key labelled **OK**.

The Nokia 6230 should now connect automatically. If it doesn't, **Select Paired devices** from the **Bluetooth** menu, highlight **Jaguar** and press **Select** to connect.

Bluetooth Enabled



**Nokia 6310i**  
**SW V5.22**

### Pairing with a Device

**Step 1:** Press the Menu key.

**Step 2:** Use the Scroll keys to highlight **Bluetooth**. Then, press the **Select** key.

**Step 3:** With **Bluetooth** highlighted, press the Scroll key centre.

**Step 4:** With **Bluetooth** highlighted, press **Select**. Highlight **On** and press **Select**.

**Step 5:** Use the Scroll key to highlight **Search for audio devices** and press **Select**. The phone starts to search for devices within 10m.

**Step 7:** Scroll to highlight **Jaguar** then press the key labelled **Select**. *Waiting for Jaguar* appears followed by the Passcode prompt.

**Step 8:** Enter the passcode then press the left Selection key labelled **OK**. The device is added to the **Paired devices** list.

**Step 9:** Highlight Jaguar in the paired devices list and use the **Select** key to open the options menu. Highlight **Establish Bluetooth connection** and press **Select**.

## Recommended Phones for Jaguar – North American Phones

Bluetooth Enabled



**Nokia  
3650**  
**SW Version  
3.16**

### Pairing with a Device

**Step 1:** Press the Menu key.

**Step 2:** Use the Scroll key to highlight **Connect**. Then, press the Scroll key centre.

**Step 3:** With **Bluetooth** highlighted, press the Scroll key centre.

**Step 4:** Press the Scroll key right to enter the **Paired devices** list.

**Step 5:** Press the left Selection key labelled **Options**.

**Step 6:** With **New paired device** highlighted, press the Scroll key centre. The phone starts to search for devices within.

**Step 7:** Scroll to highlight **Jaguar** then press the key labelled **Select**. **Waiting for Jaguar** appears followed by the Passcode prompt.

**Step 8:** Enter the passcode 1313 then press the left Selection key labelled **OK**. The device is added to the **Paired devices** list.

**Step 9:** Highlight **Jaguar** in the **paired devices** list and use the **Select** key to open the **options** menu. Highlight **Connect** and press **Select**.

**Step 10:** In the **options** menu, select **set as authorised** to allow the handset to reconnect to the vehicle system automatically each time you return to the vehicle and switch ON ignition.

### Notes

- Phone handset software (SW) shown on these pages relates to the level of SW tested and approved for use. Typically, this is a minimum level, but later releases cannot be controlled and as such, cannot be guaranteed to work. Later SW known to be incompatible will be indicated accordingly.
- To find the SW version on a **Nokia** handset: At the main screen, use the keypad to enter **\*#0000#**. The version (V) will be displayed.
- To find the SW version on a **Sony Ericsson** handset: At the main screen use the joystick and keypad enter  $\emptyset * < < * < *$  (where  $<$  or  $>$  refers to the direction of movement of the joystick) then select **Service info** then **SW information**.
- To find the SW version on a **Siemens** handset: At the main screen, press **\*#06#** then **Info**.
- To find the SW version on a **Motorola** handset: On the main screen, use the keypad to navigate to **menu/settings/phone status/other info/ SW Version / Flex Version**

2003 - 2004 MY S-TYPE TELEMATICS LINK LEADS

Vehicle specification after retrofit:

CD A/CHANGER		X		X		X		X		X		X		X		X		X		X		X		X		X		X			
PHONE			X	X			X	X		X	X		X	X		X	X		X	X		X	X		X	X		X			
VOICE					X	X	X	X				X	X	X	X			X	X	X	X			X	X	X	X	X			
NAVIGATION										X	X	X	X	X								X	X	X	X	X	X	X			
PREM SOUND																X	X	X	X	X	X	X	X	X	X	X	X	X			
CD A/CHANGER	PHONE	VOICE	NAVIGATION	PREM SOUND																											
				A	A	B+H	H	B+H	G	B+G																					
X						B+H		B+H		B+G																					
	X					B+H			G	B+G																					
X	X									G																					
		X						B+H	G	B+G																					
X		X								G																					
	X	X								B+G																					
			X								C+J	G	C+H	G	C+H	F	C+H														
X			X										H		H		G														
	X		X										C+H			F	C+H														
X	X		X														G														
		X	X											C+H	F	C+H															
X		X	X														G														
	X	X	X														C+H														
				X														E+J	G	E+H	G	E+H	F	E+G							
X			X																H		H		G								
	X		X																E+H			F	E+G								
X	X		X																				G								
		X	X																		E+H	F	E+G								
X		X	X																				G								
	X	X	X																				E+G								
			X	X																					D+H	G	D+H	G	D+H	F	D+G
X			X	X																							H		H		G
	X		X	X																							D+H		F	D+G	
X	X		X	X																										G	
		X	X	X																								D+H	F	D+G	
X		X	X	X																										G	
	X	X	X	X																										D+G	

Vehicle specification prior to retrofit:

**2005 MY ON S-TYPE D2B OPTION CHART**

ALL POSSIBLE OPTION COMBINATIONS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
MULTI CD	N	X		X		X		X		X		X		X		X	X	X	X	X	X	X	X	X								
PHONE	O		X	X			X	X			X	X			X	X		X		X		X		X		X		X		X	X	
VOICE	N				X	X	X	X					X	X	X	X			X	X			X	X			X	X				
NAV	E									X	X	X	X	X	X	X					X	X	X	X					X	X	X	
PREMIUM ICE																	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	

To select correct telematics link lead from matrix below please read the following;

- 1) Establish the final specification of the vehicle once upgraded ( including existing features ) and locate the corresponding column indicated by 'X's in the D2B OPTION CHART.
- 2) Follow the column down to the USE LINK LEADS chart. Read off the corresponding link lead part numbers from chart as denoted by 'X's.

NB - Please note that depending on the options required 1 or 2 link leads will be required. Link leads must only be used as specified, no other combination is acceptable.

		↓ USE LINK LEADS ↓																															
XR8 49171	4R8T-18K925-AA				X		X		X																								
XR8 49172	4R8T-18K925-BA									X		X		X		X																	
XR8 49173	4R8T-18K925-CA																					X	X	X	X								
XR8 49174	4R8T-18K925-DA																X	X	X	X													
XR8 49175	4R8T-18K925-EA							X		X		X		X																			
XR8 49176	4R8T-18K925-FA																												X	X	X	X	
XR8 49177	4R8T-18K925-GA																									X	X	X	X				
XR8 49465	4R8T-14B548-AA														X															X		X	
XR8 49466	4R8T-14B548-BA						X	X		X		X		X						X				X		X	X			X	X		
XR8 49467	4R8T-14B548-CA				X	X	X				X		X					X	X			X	X										
XR8 49468	4R8T-14B548-DA									X							X																

EXAMPLE;

FACTORY FIT OPTION ONLY

DLR INSTALLED ACCESSORIES

Link lead required for vehicle with existing telephone, upgrading vehicle to include CD Autochanger.  
 Final vehicle specification = CD and TELEPHONE.  
 Therefore two telematics link leads will be required, part numbers (XR8 49171 & XR8 49467)

## XJ D2B Link Lead Matrix

To select correct Telematics link lead from the matrix below please read the following;

- 1) Select the final specification of vehicle once upgraded (including existing features)
- 2) Select link lead part number from the matrix below for final specification of vehicle.

Please note only 1 link lead is required for any upgrade.

		Final vehicle specification post upgrade																				
		Link Lead Part No.	C2C 14149	C2C 14156	C2C 14148	C2C 14157	C2C 14150	C2C 14147	C2C 14151	C2C 14162	C2C 14171	C2C 14165	C2C 14173	C2C 14164	C2C 14172	C2C 14163	C2C 14153	C2C 14154	C2C 14155	C2C 14168	C2C 14169	C2C 14170
Vehicle specification post retrofit	CD A/CHANGER	X		X		X		X	X	X		X		X	X	X	X	X	X	X	X	X
	TELEPHONE		X	X			X	X			X	X			X	X	X		X	X		X
	VOICE				X	X	X	X					X	X	X	X		X	X		X	X
	NAVIGATION									X	X	X	X	X	X	X				X	X	X
	PREMIUM ICE																X	X	X	X	X	X



= FACTORY FIT OPTION ONLY



= DLR INSTALLED ACCESSORIES

Example: Link lead required for vehicle with existing CD, upgrading vehicle to include telephone.

Final vehicle specification = CD and Telephone, Therefore Telematics link part number required will be 14148

