

826008-5 ✓ ACTIVE

AMP | Timer Connector System

TE Internal #: 826008-5

Timer Connector System, Housing for Female Terminals, Wire-to-Wire, 2 Position, 5mm [.197in] Centerline, Sealable, Black, Signal

[View on TE.com >](#)



Connectors > Automotive Connectors > Connector Housings > TIMER, CONNECTOR HOUSING



Connector & Housing Type: **Housing for Female Terminals**

Mating Tab Width: **2.8 mm [.11 in]**

Connector System: **Wire-to-Wire**

Number of Positions: **2**

Centerline (Pitch): **5 mm [.197 in]**

[All TIMER, CONNECTOR HOUSING \(540\)](#)

Features

Product Type Features

Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No

Configuration Features

Number of Positions	2
Number of Rows	1

Body Features

Cable Exit Angle	180°
Body Material	PA GF
Primary Product Color	Black

Contact Features

Mating Tab Width	2.8 mm[.11 in]
------------------	----------------

Mechanical Attachment

Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	No



Mating Alignment Type Polarized

Housing Features

Centerline (Pitch) 5 mm [.197 in]

Dimensions

Product Width 28 mm [1.102 in]

Product Length 20 mm [.787 in]

Product Height 17.5 mm [.689 in]

Operation/Application

Circuit Application Signal

Packaging Features

Packaging Method Bag

Other

Serviceable No

Connector Position Assurance Capable No

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU Compliant

EU ELV Directive 2000/53/EC Compliant

China RoHS 2 Directive MIIT Order No 32, 2016 No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006
 Current ECHA Candidate List: JUN 2020 (209)
 Candidate List Declared Against: JAN 2018 (181)
 SVHC > Threshold:
 Not Yet Reviewed

Halogen Content Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability Not applicable for solder process capability

Product Compliance Disclaimer







This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Also in the Series | Timer Connector System



Customers Also Bought



TE Part #185636-1
PROTECT CAP 2.5MM PLUG



TE Part #6-160448-5
FF 250 REC 1.0-2.5MM2 TPBR




TE Part #1-827578-1
TIMER, CONNECTOR HOUSING




TE Part #927845-1
TIMER, RECEPTACLE AND TAB



TE Part #1-968849-2
AMP MCP, RECEPTACLE AND TAB



TE Part #281812-1
COVER FOR 25W. SPLASH PROOF CO



TE Part #963209-1
DICHTUNG F2P JPT-GH

Documents

Product Drawings

2 POS MINI TIMER HSG

English

CAD Files

3D PDF

English

Customer View Model

[ENG_CVM_826008-5_G1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_826008-5_G1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_826008-5_G1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Timer Interconnection System

English

Product Specifications

ER**Connecteurs Etanches 2 A 7 Voies Pour Clips JPT

English

Product Specification

English

826008-5

Timer Connector System, Housing for Female Terminals, Wire-to-Wire, 2 Position,
5mm [.197in] Centerline, Sealable, Black, Signal

